



NEW UNITED STATES UTILITY PATENT APPLICATION
under 37 C.F.R. 1.53(b)



Page 1

Atty. Docket No. 03797.86776

Assistant Commissioner of Patents
Box Patent Applications
Washington, D.C. 20231

Enclosed herewith is a new patent application and the following papers:

First Named Inventor (or application identifier): Neil W. Black et al.

Title of Invention: SYSTEM AND METHOD FOR CREATING MODEL INVESTMENT PORTFOLIOS

1. ☒ Specification 24 pages (including specification, claims, abstract) / 37 claims (6 independent)
2. ☒ Declaration/Power of Attorney is:
☒ attached in the regular manner.
☐ NOT included, but deferred under 37 C.F.R. § 1.53(f).
3. ☒ 11 Distinct sheets of ☒ Formal ☐ Informal Drawings
4. ☐ Preliminary Amendment.
5. ☐ Information Disclosure Statement
☐ Form 1449
☐ A copy of each cited prior art reference
6. ☒ Assignment with Cover Sheet.
7. ☐ Priority is hereby claimed under 35 U.S.C. § 119 based upon the following application(s):

Country	Application Number	Date of Filing (day, month, year)

8. ☐ Priority document(s).
9. ☐ Statement Claiming Small Entity Status.
10. ☐ Microfiche Computer Program (Appendix).
11. ☐ Nucleotide and/or Amino Acid Sequence Submission.
☐ Computer Readable Copy.
☐ Paper Copy (identical to computer copy).
☐ Statement verifying identity of above copies.

NEW UNITED STATES UTILITY PATENT APPLICATION
under 37 C.F.R. 1.53(b)

Page 2

Atty. Docket No. 03797.86776

12. Calculation of Fees:

FEES FOR	EXCESS CLAIMS	FEE	AMOUNT DUE
Basic Filing Fee (37 C.F.R. § 1.16(a))			\$690.00
Total Claims in Excess of 20 (37 C.F.R. § 1.16(c))	17	18.00	\$306.00
Independent Claims in Excess of 3 (37 C.F.R. § 1.16(b))	3	78.00	\$234.00
Multiple Dependent Claims (37 C.F.R. § 1.16(d))	0	260.00	\$0.00
Subtotal - Filing Fee Due			\$1,230.00
	REDUCE BY (%) (\$)		
Reduction by 50%, if Small Entity (37 C.F.R. §§ 1.9, 1.27, 1.28)	0		\$0.00
TOTAL FILING FEE DUE			\$1,230.00
Assignment Recordation Fee (if applicable) (37 C.F.R. § 1.21(h))	1	40.00	\$40.00
GRAND TOTAL DUE			\$1,270.00

13. PAYMENT is:

- ☒ included in the amount of the GRAND TOTAL by our enclosed check. A general authorization under 37 C.F.R. § 1.25(b), second sentence, is hereby given to credit or debit our Deposit Account No. 19-0733 for the instant filing and for any other fees during the pendency of this application under 37 C.F.R. §§ 1.16, 1.17 and 1.18.
- ☐ not included, but deferred under 37 C.F.R. § 1.53(f).

14. All correspondence for the attached application should be directed to:

Banner & Witcoff, Ltd.
1001 G Street, N.W.
Washington, D. C. 20001-4597
Telephone: (202) 508-9100
Facsimile: (202) 508-9299

15. Other: _____

Date: June 13, 2000

By: *for* Christopher R. Glembocki *Reg. No. 37,588*
Reg. No. 38,800

PIB/CRG/dah

System and Method For Creating Model Investment Portfolios

1. Background

Technical Field

5 The invention generally relates to financial systems. More particularly, the invention relates to a method and apparatus for creating an investment portfolio.

Related Art

Investing over the Internet has become commonplace. On-line brokers and brokerage sites enable all types of investors to engage in trading activities. These trading activities include trading stocks, options, etc. on the New York Stock Exchange, NASDAQ, American Stock Exchange, and foreign exchanges. In addition, investors may trade futures, currencies, mutual funds, and the like in respective exchanges.

10 In addition to trading over the Internet, investors may also track their investments over the Internet. Trading houses (for example, Ameritrade) allow investors to monitor the value of their account on-line. Some companies permit investors to create portfolios that permit monitoring of the portfolios over a period of time (for example, Yahoo! Finance). With Yahoo! Finance, however, investors are constrained to enter separately the quantity and purchase price of each stock. While allowing an investor to monitor accurately a stock or portfolio from a specific starting value, the exercise of separately entering each stock's quantity and purchase price can
15
20 become tedious when creating watch accounts.

Watch accounts (also known as watch account portfolios or watch portfolios) are portfolios that have been created to monitor stocks (or, more generally, issues) over time. An

example of a watch account is available at Clearstation <<http://www.clearstation.com>>. Here, an investor may designate a watch account with a number of stocks and display how those stocks have changed since the watch account was first created. However, no method exists to assign an initial starting value to the watch account or to designate a number of shares purchased.

5 Clearstation also supports the use of default values when creating a normal portfolio. The default values in Clearstation are defined as the quantity of shares needed to have a total investment in a stock be equal to \$10,000. So, if one was to designate five stocks and select the default values option, the portfolio is created with enough shares of each stock so the initial investment in each stock was \$10,000 on the day the stock was added to the account. However, the approach shown by Clearstation for using the default valuation of \$10,000 for each holding fails to adequately mirror the monitoring situations needed by investors watching a stock or set of stocks. There is no provision for designating a fixed number of shares, designating a total valuation of a portfolio, or altering the date upon which the issues are initially priced. Because of these shortcomings, alternative methods of designating portfolios are needed.

2. Summary

The present invention provides a system and method for creating model investment portfolios. Using the present invention, a user may quickly create a portfolio based on different criteria. In one embodiment, a user may create a portfolio for a hypothetical collection of stocks for monitoring market trends or to test out new investment strategies without risk. A user is provided with the option of specifying the date upon which the issues were purchased. This provides the user with the ability to back test investment strategies up to the present. Further, the values of the price of the issues may be split-adjusted to eliminate confusion over the quantity of shares purchase.

When creating a portfolio, a user selects a number of issues for inclusion in a portfolio. Next, the user determines how the quantity of each issue in the portfolio is to be selected. Different methods of selecting the quantity of the issues include designating an initial number of shares of each issue, a total valuation of the portfolio with the value allocated to each issue being equal, and other methods are disclosed.

These and other novel advantages, details, embodiments, features and objects of the present invention will be apparent to those skilled in the art from following the detailed description of the invention, the attached claims and accompanying drawings, listed herein, which are useful in explaining the invention.

3. Brief Description of Drawings

Figure 1 shows a general purpose computer supporting the display and annotation of an electronic document in accordance with embodiments of the present invention.

Figures 2A and 2B show systems for delivering financial information to workstations in accordance with embodiments of the present invention.

Figures 3 to 7 show user interfaces for creating a portfolio in accordance with embodiments of the present invention.

Figure 8 shows a method for generating a portfolio in accordance with embodiments of the present invention.

Figure 9 shows interactions between a client and a server for creating a portfolio in accordance with embodiments of the present invention.

Figure 10 shows an alternative embodiment of interactions between a client and a server for creating a portfolio in accordance with embodiments of the present invention.

4. Detailed Description

The present invention relates to a system and method for capturing annotations associated with a non-modifiable document.

Although not required, the invention will be described in the general context of computer-executable instructions, such as program modules. Generally, program modules include routines, programs, objects, scripts, components, data structures, etc. that perform particular tasks or implement particular abstract data types. Moreover, those skilled in the art will appreciate that the invention may be practiced with any number of computer system configurations including, but not limited to, distributed computing environments where tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules may be located in both local and remote memory storage devices. The present invention may also be practiced in personal computers (PCs), hand-held devices, multiprocessor systems, microprocessor-based or programmable consumer electronics, network PCs, minicomputers, mainframe computers, and the like.

Figure 1 is a schematic diagram of a computing environment in which the present invention may be implemented. The present invention may be implemented within a general purpose computing device in the form of a conventional personal computer 100, including a processing unit 110, a system memory 120, and a system bus 130 that couples various system components including the system memory to the processing unit 110. The system bus 130 may be any of several types of bus structures including a memory bus or memory controller, a peripheral bus, and a local bus using any of a variety of bus architectures. The system memory includes read only memory (ROM) 140 and random access memory (RAM) 150.

A basic input/output system 160 (BIOS), containing the basic routines that help to transfer information between elements within the personal computer 100, such as during start-up, is stored in ROM 140. The personal computer 100 further includes a hard disk drive 170 for reading from and writing to a hard disk, not shown, a magnetic disk drive 180 for reading from or writing to a removable magnetic disk 190, and an optical disk drive 191 for reading from or writing to a removable optical disk 192 such as a CD ROM or other optical media. The hard disk drive 170, magnetic disk drive 180, and optical disk drive 191 are connected to the system bus 130 by a hard disk drive interface 192, a magnetic disk drive interface 193, and an optical disk drive interface 194, respectively. The drives and their associated computer-readable media provide nonvolatile storage of computer readable instructions, data structures, program modules and other data for the personal computer 100.

Although the exemplary environment described herein employs a hard disk, a removable magnetic disk 190 and a removable optical disk 192, it should be appreciated by those skilled in the art that other types of computer readable media which can store data that is accessible by a computer, such as magnetic cassettes, flash memory cards, digital video disks, Bernoulli cartridges, random access memories (RAMs), read only memories (ROMs), and the like, may also be used in the exemplary operating environment.

A number of program modules may be stored on the hard disk, magnetic disk 190, optical disk 192, ROM 140 or RAM 150, including an operating system 195, one or more application programs 196, other program modules 197, and program data 198. A user may enter commands and information into the personal computer 100 through input devices such as a keyboard 101 and pointing device 102. Other input devices (not shown) may include a microphone, joystick, game pad, satellite dish, scanner, or the like. These and other input devices are often connected

to the processing unit 110 through a serial port interface 106 that is coupled to the system bus, but may be connected by other interfaces, such as a parallel port, game port or a universal serial bus (USB). A monitor 107 or other type of display device is also connected to the system bus 130 via an interface, such as a video adapter 108. In addition to the monitor, personal computers typically include other peripheral output devices (not shown), such as speakers and printers.

The personal computer 100 may operate in a networked environment using logical connections to one or more remote computers, such as a remote computer 109. The remote computer 109 may be another personal computer, a server, a router, a network PC, a peer device or other common network node, and typically includes many or all of the elements described above relative to the personal computer 100, although only a memory storage device 111 has been illustrated in Figure 1. The logical connections depicted in Figure 1 include a local area network (LAN) 112 and a wide area network (WAN) 113. Such networking environments are commonplace in offices, enterprise-wide computer networks, intranets and the Internet.

When used in a LAN networking environment, the personal computer 100 is connected to the local network 112 through a network interface or adapter 114. When used in a WAN networking environment, the personal computer 100 typically includes a modem 115 or other means for establishing a communications over the wide area network 113, such as the Internet. The modem 115, which may be internal or external, is connected to the system bus 130 via the serial port interface 106. In a networked environment, program modules depicted relative to the personal computer 100, or portions thereof, may be stored in the remote memory storage device. It will be appreciated that the network connections shown are exemplary and other means of establishing a communications link between the computers may be used.

In addition to the system described in relation to Figure 1, the invention may be practiced on a handheld computer. Further, purpose-built devices may support the invention as well. In short, handheld computers and purpose-built devices are similar in structure to the system of Figure 1 but may be limited to a display (which may be touch-sensitive to a human finger or stylus), memory (including RAM and ROM), and a synchronization/modem port for connecting the handheld computer and purpose-built devices to another computer or a network (including the Internet) to download and/or upload documents or download and/or upload annotations. The description of handheld computers and purpose-built devices is known in the art and is omitted for simplicity. The invention may be practiced using C. Also, it is appreciated that other languages may be used including C++, assembly language, and the like.

Figure 2A shows a system for delivering financial information to a workstation in accordance with embodiments of the present invention. A user receives financial information at workstation 201 from a set of backend servers – 205, 206, and 207. These servers receive financial data from a variety of sources. The sources are well known in the art and are listed here for reference. Historical database 202 provides historical information of stocks including the closing prices and volume of trades for every trading day over the past number of years. This historical data covers prices for stocks and mutual funds, as well as major indexes such as the S&P 500, the Dow Jones Industrial Average, and the like. Quotes source 203 provides the Quotes server 206 with current information regarding issues including current trading values, volumes, percent changes, and the like. News source 204 provides news stories for traded issues to News Server 207.

Workstation 201 includes a system for receiving and displaying received financial information from the various backend servers 205, 206, and 207. It is appreciated that all

connection pathways may include the Internet. In one embodiment, workstation 201 includes a stand-alone software package that displays the financial information from the backend servers 205, 206, and 207. This software package may be a financial software package including Intuit's Quicken or Microsoft's Money. In an alternative embodiment, workstation 201 is running an Internet browser capable of accessing information across the Internet. The browser may be Netscape 4.6 by the Netscape Corporation or Internet Explorer 5.0 by the Microsoft Corporation. The backend servers 205, 206, and 207 may be connected to the Internet and provide a site for access by investors at workstations 201 to create and manage portfolios as are known in the art. An example of a site is Yahoo! Finance by Yahoo! and Moneycentral by MSN <<http://moneycentral.msn.com>>. These sites provide an investor with the ability to receiving current information regarding issues in his portfolio.

Figure 2B shows an alternative system for delivering financial information to a workstation in accordance with embodiments of the present invention. A user receives financial information at workstation 201 from a financial information server 208. The financial information server receives information from other databases and servers. The sources are well known in the art and are listed here for reference. Reference database 210 provides reference information to the financial information server 208. Country database 211 provides country-specific information when needed. For example, country database 211 may provide information to financial information server 208 when the markets close in the respective countries. Quotes source 203 and News source 204 provide the News/Quotes server 209 with current information regarding issues including current trading values, volumes, percent changes, and the like. In this embodiment, the workstation may connect directly to and receive information from the financial

information server 208 without needing to accommodate information arriving from other sources.

Figures 3 to 7 show user interfaces for creating a portfolio in accordance with embodiments of the present invention. The user interfaces may be used when accessing one of the above sites to allow investors to easily set up portfolios. The interfaces may be downloaded as HTML pages with information being posted back to the server for processing. Alternatively, the interfaces may be part of local program developed to minimize the processing to be accomplished by the server. For example, the interfaces may be programmed in Java or ActiveX or any other language as known in the art that may run in a browser running on workstation 201. For instance, to create a model portfolio, the user may access the MoneyCentral site at <http://moneycentral.msn.com>. From the MoneyCentral home page, the user clicks on the "My Portfolio" link, which takes them to the ActiveX Portfolio Manager. The ActiveX control is an executable program that runs on the client machine and communicates with a server using HTTP requests. The MoneyCentral Portfolio Manager runs as an ActiveX control when the user is accessing the site using Internet Explorer 3.0 or higher OR Netscape Navigator 3.0 or higher on Win 95/98 or Windows NT. From the Portfolio Manager the user clicks on the File menu and chooses the "New Account..." option. This action brings up the dialog box as shown in Figure 3.

Figure 3 shows a user interface 301 after a user has indicated she wants to create a new account or portfolio. A variety of types of accounts may be displayed, with each having a user interface portion for receiving a user's selection. The interface provides the user with the option of creating a new regular account 303, a new watch account 304, or import an existing account 305. Section 306 provides a user interface portion for receiving user navigational inputs. Once a user has selected the type of account desired, the user is directed to the user interface of Figure 4.

As used herein, a normal or regular account is an account in which a user actually owns the issues as entered into the account. A watch account, on the other hand, is an account in which the user does not actually own the issue or the quantity of issues or the allocation of issues in the account. A “model” account allows the user to specify a portfolio based on some predefined allocation of resources. The allocation may include an equal number of shares of each investment or it may be a total portfolio value distributed among the investments or it may be based on one of the allocation techniques described herein. A model account may relate to an account that is created to reflect an investor’s ideal investment account. The model creation allocation system may be applied to both regular (normal) accounts and watch accounts. Where permitted, the purchase of issues based a model method may allow for selection of non-whole numbers of shares. Alternatively, the system may also include the ability to round up or round down the number of shares to be purchased to accommodate actual purchase requirements of different exchanges.

In one embodiment, only one type of account may exist with the option of making it a model account. This system makes it simple of a new user to establish accounts without having to separate out watch accounts from regular accounts. In another embodiment, watch accounts are separately defined from regular accounts. One advantage of keeping regular accounts separate from watch accounts is in the computation of realized gain for the account.

Figure 4 shows a user interface 401 for designating the name of the account and the issues contained within the account. User interface portion 402 receives a user input designating the name of the account. User interface portion 403 receives a user input designating the type of issues to be included within the account. If a user does not know the symbol associated with an issue, the user may search for the symbol through a search feature. The search feature may be

enabled through button 404. However, for simplicity, the search feature is not described herein.

In one embodiment, a user may indicate that he wants to create a model portfolio, in which the user may test investing strategies without risk. To designate the model portfolio as such and to allow for easier creation of the model portfolio, a user checks a check box 405. It is appreciated that other user interface portions may be provided including buttons, radio buttons, and other like selection techniques that are known in the art. Navigation buttons 406 are used to control navigation and permit forward navigation once a specified number of fields (402 and 403) have been populated.

Figure 5 shows the user interface of Figure 4 with fields populated. Specifically, user interface window 501 includes the name of the account user interface portion 502 with the account named "My Model Portfolio". User interface portion 504 includes the names of four issues including Amazon.com (amzn), Dell Computers (dell), Intel Corporation (intc), and Microsoft Corporation (msft). Here, the Model Portfolio box 505 has been checked. Once checked, new user interface portion 506 having options available for configuring a model portfolio is displayed. In an alternate embodiment, model portfolio box 505 may be eliminated as population of any of the interfaces in portion 506 may enable the model portfolio designation of the account.

User interface portion 506 provides a number of selectable options for configuring the model portfolio. First, selection of option 507 permits a fixed quantity of each issue to be purchased. If this option was selected, 100 shares of each of the above issues will be included in the portfolio. The option is shown with an initial designation of 100 shares of each stock. In an alternate embodiment, another user interface portion is provided that permits a user to select the number of shares of each to be added (for example, 10 or 1000 shares of each).

Second, selection of option 508 permits a fixed amount of money be allocated to each issue. As shown in Figure 5, \$10,000 is applied to each stock. Applied to the four above stocks, \$10,000 of each would be added to the portfolio. In an alternative embodiment, a user definable value may be substituted for the initial \$10,000 figure. The user definable value may be set via a dialog box, drop down menu listing predefined values, and the like.

Third, selection of option 509 permits designation of a total portfolio value. The initial value may be set to \$10,000, for example. Alternatively, there may be no initial value specified, instead waiting for user input. Further, option 509 may include a drop down menu listing predefined values including, for instance, \$10, \$50, \$100, \$500, \$1000, \$10,000, \$100,000 and the like.

It is appreciated in the above drop down menu examples, any values may be specified and the listed values are not intended to be the only values usable in the described embodiment.

The options shown in interface portion 506 are but a few of the options for specifying how many shares should be purchased. The following lists the above options and others. It is appreciated that other options for deciding how many shares to purchase are available and considered within the scope of the invention.

1. Specify the total number of shares in each issue.
 - 1.1 The number of shares to purchase is predefined.
 - 1.2 The number of shares to purchase is definable by the user.
2. Specify the value of each issue to be purchased.
 - 2.1 The value of each issue is predefined.
 - 2.2 The value of each issue is definable by the user.
3. Specify the value for the portfolio

- 3.1 The value of the portfolio is fixed to a predefined value (e.g., \$10,000).
- 3.2 The value of the portfolio is definable by the user.
4. Weight the allocation of the issues in a portfolio as based on criteria (e.g., purchase more of one issue than another in the same portfolio).
- 4.1 Even distribution
- 4.2 Market Capitalization (e.g., purchase more issues that have a greater market capitalization than issue that have a lesser market capitalization)
- 4.3 Risk (e.g., purchase more issues having a higher risk than having a lower risk)
- 4.4 Industry Sector (e.g., purchasing more issues of technology stocks than textile stocks)
- 4.5 PE Ratio (e.g., purchasing more issues with a higher PE ratio than a lower PE ratio)
- 4.6 Value (e.g., purchasing more issues with a greater cost per share than a lesser cost per share)
- 4.7 Dividends (e.g., purchase more of issues that pay dividends than those that do not pay dividends)
- 4.8 Weighting based on recommendations from industry analysts

As to the various weighting factors, a user may specify how to weight the purchase of the stocks. Also, the user may specify whether the weighting should be applied to a given portfolio.

Further, portfolio options window 506 includes interface 511 and selection button 512. Interface 511 permits designation of a day from which the last trade price is determined. A user may enter a date in interface 511. Alternatively, a user may select button 512 and receive a

navigable calendar that permits a graphical selection of a date. Finally, navigation buttons 513 are provided.

Figure 6 shows a user interface similar to that of Figure 5 but with separate options selected. Here, option 509 has been selected (as shown as 601) with a new value for the each stock (\$20,000 as compared to the \$10,000 in Figure 5). Further, the date in user interface portion 603 has been changed from January 11, 2000 (Figure 5), to January 3, 2000.

When the finish button in 605 is pressed, the client-side ActiveX sends a request to the server to get closing prices on 1/3/00 for each of the stocks in the model portfolio account. The server sends the data back to the client machine where the ActiveX control uses it to calculate the number of shares of each stock to purchase.

The ActiveX control will calculate the number of shares required to purchase \$5,000 of each stock so that the total account value is \$20,000. Since model portfolios are used for simulation, the number of shares to be added is not rounded to whole numbers, but rather fractional shares are added to the account. In this example the following transactions will be added to the "My Model Portfolio" account:

Issue	Closing Price as of January 3, 2000	Number of Shares to Purchase to Set Value Initially at \$5,000
AMZN	\$89.375	55.944
DELL	\$50.875	98.28
INTC	\$87	57.471
MSFT	\$116.563	42.895

Once these calculations have been made on the client machine using the ActiveX control, the transactions are written to the users data file, which resides on the client workstation 201. The user can then see the account displayed in the Portfolio Manager 701 as shown in Figure 7.

Figure 7 shows a resulting view after completing the account designated by the user interfaces of Figures 3 to 6. The portfolio is shown in the Portfolio Manager 701 in a browser. Grouping 702 shows the four stocks described above. Display portion 703 shows the last price of the stocks. Display portion 704 shows the quantity purchased for the stocks. Display portion 705 shows the current market value of the stocks in 702. Display portion 706 shows the gain computed from the difference between the current market value and the original purchase value of the stock. Display portion 707 shows the percentage gain realized on the investment for each stock on 702.

In the above description, model watch accounts are differentiated from normal accounts. Providing normal accounts with the ability to specify purchase amounts and purchase prices enables investors to accurately reflect their actual portfolios. The model options in window 506 simplify the method for establishing portfolios in which (for instance) no real money is actually invested. However, in an alternative embodiment, the options available in window 506 may be applied to normal accounts and non-model, watch accounts as well. In this latter embodiment, a user may have the option of entering the quantity of each issue held as well as a quantity, or merely entering the issue and letting the system select the quantity or value applied to the issue or issues. Permitting normal accounts to be established, based on predefined options, allows simplified creation of the accounts. An implementation of this latter embodiment may be in the field of day trading.

To assist day traders with making purchases quickly, the system may include the ability to store preferences for portfolio creation. For example, if a day trader likes to purchase all issues in batches of 500, the system may populate the indication of the number of shares to be purchased at 500. So, when quickly specifying a trade, the trader does not need to separately

enter his or her selection criteria repeatedly. The preferences may be stored on the server or may be stored on the client.

Figure 8 shows a method for generating a portfolio in accordance with embodiments of the present invention. In step 801, a user operates a user interface to indicate that he wants to create a new account. Next, in step 802, the user determines the type of account to be created. In step 803, the user specifies the issues to be added to the account. The system determines in step 804 whether the user specified the account to be a model account.

In an alternate embodiment, step 804 may be a determination of whether the user selected any of the simplified account creation options. In this alternative embodiment, the simplified account creation options are applied to normal accounts in addition to model accounts.

Returning to Figure 8, if not a model portfolio, then the user is prompted in step 806 to select a quantity of each issue for inclusion in the portfolio. Next, in step 807, the system generates the portfolio. If the portfolio is a model portfolio, then the user is prompted in step 805 to specify the simplified allocation of funds/number of issues option as described above. Finally, the system generates the portfolio in step 807.

Figure 9 shows interactions between a client 901 and a server 902 for creating a portfolio in accordance with embodiments of the present invention. First, having received the designated issues to be purchased from the user, the client specifies the issues and the trading closing date that is to be used to calculate the closing price for the issues and passes this information to the server 902 in step 903. Next, in step 904, the server 902 returns the price of the issues on the closing date. Based on the option selected by the user, the client 901 selects the quantity of issues to be purchased in step 906 that satisfy the selected option. Finally, the portfolio is stored. The portfolio may be stored locally (as shown by step 908) or stored on the server (as shown by step

907). Advantages for storing the portfolio locally include minimizing the space needed on the server for storing the portfolio and ensuring that only users of the workstation 201 will have access to the portfolio. Advantages for storing the portfolio on the server 902 include permitting the user to access the portfolio from multiple workstations (for example, home and work) and ensuring the integrity of the portfolio should the workstation 201 fail (for example, experiencing a hard drive crash).

Figure 9 also shows optional return of other information regarding the issues in step 905. Here, step 905 may include sending information relating to the weighting factors specified by a user. For example, the information transmitted in step 905 may include market capitalization information, risk assessments, industry sector information, PE ratios, value information, dividend information, and recommendations from industry analysts.

Figure 10 shows an alternative embodiment of interactions between a client and a server for creating a portfolio in accordance with embodiments of the present invention. Figure 10 has the selection of the quantity of each issue to be purchased being decided on the server 1002, rather than on the client 1001. In step 1003, the client transmits the specific issues, closing date, and selection criteria to the server. In step 1004, the server 1002 determines the quantity of each issue to add to the portfolio. In step 1005, the client 1001 is updated with the quantity of each issue and the value (or purchase price per share) of each issue purchased. In step 1006, the portfolio is stored on the server. Alternatively, the portfolio is stored on the workstation 201 in step 1007.

When storing the portfolio (steps 907 or 908 or 1006 or 1007), the storage may take the data structure of “symbol (1), quantity (1), symbol (2), quantity (2), ...” or “symbol (1), symbol

(2), ... quantity (1), quantity (2), ...” and the like. Other variations of these data structures are considered within the scope of one of ordinary skill in the art.

In the foregoing specification, the present invention has been described with reference to specific exemplary embodiments thereof. Although the invention has been described in terms of various embodiments, those skilled in the art will recognize that various modifications, 5 embodiments or variations of the invention can be practiced within the spirit and scope of the invention as set forth in the appended claims. All are considered within the sphere, spirit, and scope of the invention. The specification and drawings are, therefore, to be regarded in an illustrative rather than restrictive sense. Accordingly, it is not intended that the invention be limited except as may be necessary in view of the appended claims.

03797.86776

We claim:

1 1. A computer-implemented method for creating a portfolio of issues comprising the
2 steps of:

3 specifying issues to be added to the portfolio;

4 selecting one of a plurality of options for creating the portfolio;

5 creating the portfolio based on said selection of one of said plurality of options.

1 2. The computer-implemented method according to claim 1, wherein said selecting
2 step includes selecting an option to allocate a number of shares for each issue.

1 3. The computer-implemented method according to claim 2, wherein the number of
2 shares is constant for each issue.

1 4. The computer-implemented method according to claim 2, wherein the number of
2 shares is not constant for each issue.

1 5. The computer-implemented method according to claim 2, wherein the number of
2 shares for each issue is based on a weighting factor.

1 6. The computer-implemented method according to claim 1, wherein said selecting
2 step includes selecting an option to allocate an equal amount for the purchase of each issue and
3 wherein said equal amount is selectable by a user.

1 7. The computer-implemented method according to claim 1, wherein said selecting
2 step includes selecting an option to allocate a total amount for the portfolio.

1 8. The computer-implemented method according to claim 7, wherein said amount is
2 equally divided between said issues.

1 9. The computer-implemented method according to claim 7, wherein said amount is
2 not equally divided between said issues.

1 10. The computer-implemented method according to claim 7, wherein said amount is
2 divided between said issues based on a weighting factor.

1 11. The computer-implemented method according to claim 1, further comprising the
2 step of selecting a date for the purchase of the portfolio.

1 12. A user-interface for specifying a portfolio of issues comprising:
2 a first display portion displaying issues input by a user;
3 a second display portion displaying choices of how to add said issues into said portfolio.

1 13. The user interface according to claim 12, wherein said second display portion
2 includes as one of said choices specifying a number of shares of said issues.

1 14. The user interface according to claim 12, wherein said second display portion
2 includes as one of said choices an amount to be used to acquire each of said assets.

1 15. The user interface according to claim 12, wherein said second display portion
2 includes as one of said choices an amount to be used to acquire all of said assets.

1 16. The user interface according to claim 12, further comprising a third display
2 portion receiving a user-specified date upon which the price of each issue is determined.

1 17. A computer-readable medium having a program for creating a portfolio of issues,
2 said program comprising the steps of:

3 specifying issues to be added to the portfolio;
4 selecting one of a plurality of options for creating the portfolio;
5 creating the portfolio based on said selection of one of said plurality of options.

1 18. The computer-readable medium having said program according to claim 17,
2 wherein said selecting step includes selecting an option to allocate a number of shares for each
3 issue.

1 19. The computer-readable medium having said program according to claim 18,
2 wherein the number of shares is constant for each issue.

1 20. The computer-readable medium having said program according to claim 18,
2 wherein the number of shares is not constant for each issue.

1 21. The computer-readable medium having said program according to claim 18,
2 wherein the number of shares for each issue is based on a weighting factor.

22. The computer-readable medium having said program according to claim 17,
wherein said selecting step includes selecting an option to allocate an equal amount for the
purchase of each issue and wherein said equal amount is selectable by a user.

23. The computer-implemented method according to claim 1, wherein said selecting
step includes selecting an option to allocate a total amount for the portfolio.

24. The computer-implemented method according to claim 23, wherein said amount
is equally divided between said issues.

25. The computer-implemented method according to claim 23, wherein said amount
is not equally divided between said issues.

26. The computer-implemented method according to claim 23, wherein said amount
is divided between said issues based on a weighting factor.

27. The computer-implemented method according to claim 17, further comprising the
step of selecting a date for the purchase of the portfolio.

28. A system for creating a portfolio of issues comprising:

2 a user input for receiving a designation of issues and for receiving a designation of an
3 option of creating said portfolio selected from a plurality of options;
4 an input for receiving a price associated with each of said issues;
5 a processor for determining the number of shares of said issues to add to said portfolio
6 based on said designated option.

1 29. The system according to claim 28, wherein said processor determines the number
2 of shares of said issues to add to said portfolio based on said designated option and said price.

1 30. A computer-readable medium having a program for creating a portfolio of issues,
2 said program comprising the steps of:

3 specifying issues to be added to the portfolio
4 specifying a closing date for the issues;
5 receiving prices for the specified issues based on the specified closing date;
6 selecting a quantity of said specified issues;
7 creating the portfolio based on the specified issues and the selected quantity of the
8 specified issues; and
9 storing said portfolio.

1 31. The computer readable medium according to claim 30, wherein said storing step
2 stores said portfolio on a client computer.

1 32. The computer readable medium according to claim 30, wherein said storing step
2 stores said portfolio on a server computer.

1 33. The computer readable medium according to claim 30, wherein said program
2 further comprising the step of:

3 receiving other information regarding the specified issues.

1 34. A computer-implemented method for creating a portfolio of issues comprising the

2 steps of:

3 specifying issues to be added to the portfolio

4 specifying a closing date for the issues;

5 receiving prices for the specified issues based on the specified closing date;

6 selecting a quantity of said specified issues;

7 creating the portfolio based on the specified issues and the selected quantity of the
8 specified issues; and

9 storing said portfolio.

10 35. The computer implemented method according to claim 34, wherein said storing
11 step stores said portfolio on a client computer.

12 36. The computer implemented method according to claim 34, wherein said storing
13 step stores said portfolio on a server computer.

14 37. The computer implemented method according to claim 34 further comprising the
15 step of:

16 receiving other information regarding the specified issues.

Abstract

A system and method for creating portfolio is disclosed. A user is presented with an efficient method of creating a portfolio using predefined options. Through using the predefined options, the user may quickly create a portfolio that may be used to monitor a market.

2025-03-03 09:00:00




Figure 1
DE 1 300




Figure 2A

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2433	2434	2435	2436	2437	2438	2439	2440	2441	2442	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---




Figure 2B




Figure 3





Figure 4



702

701

Figure 7

09692660 064300




Figure 8

09592650.051310




Figure 9




Figure 10

JOINT DECLARATION FOR PATENT APPLICATION

As the below named inventor, we hereby declare that:

Our residence, post office address and citizenship are as stated below next to our names;

We believe we are the original, first and joint inventors of the subject matter which is claimed and for which a patent is sought on the invention entitled SYSTEM AND METHOD FOR CREATING MODEL INVESTMENT PORTFOLIOS, the specification of which

- ☒ is attached hereto.
- ☐ was filed on _____ as Application Serial Number _____ and was amended on _____ (if applicable).
- ☐ was filed under the Patent Cooperation Treaty (PCT) and accorded International Application No. _____, filed _____, and amended on _____ (if any).

We hereby state that we have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

We hereby acknowledge the duty to disclose information which is material to patentability in accordance with Title 37, Code of Federal Regulations, 1.56(a).

Prior Foreign Application(s)

We hereby claim foreign priority benefits under Title 35, United States Code, 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Country	Application No.	Date of Filing (day month year)	Date of Issue (day month year)	Priority Claimed Under 35 U.S.C. 119 (yes/no)

Prior United States Provisional Application(s)

We hereby claim priority benefits under Title 35, United States Code, 119(e)(1) of any U.S. provisional application listed below:

U.S. Provisional Application No.	Date of Filing (day month year)	Priority Claimed Under 35 U.S.C. 119(e)(1)

Prior United States Application(s)

We hereby claim the benefit under Title 35, United States Code, 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, 112, we acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Application Serial No.	Date of Filing (Day, Month, Year)	Status Patented, Pending, Abandoned

Power of Attorney\

And we hereby appoint, both jointly and severally, as our attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith the following attorneys and agents, their registration numbers being listed after their names:

ALTHERR, Robert F.	31,810	IWANICKI, John P.	34,628	PETERSON, Thomas L.	30,969
BANNER, Donald W.	17,037	JACKSON, Thomas H.	29,808	POTENZA, Joseph M.	28,175
BANNER, Mark T.	29,888	KAGAN, Sarah A.	32,141	PRATT, Thomas K.	37,210
BANNER, Pamela I.	33,644	KATZ, Robert S.	36,402	RENK, Christopher J.	33,761
BECKETT, William W.	18,262	KLEIN, William J.	43,719	RESIS, Robert H.	32,168
BODNER, Jordan	42,338	KRAUSE, Joseph P.	32,578	RIVARD, Paul M.	43,446
BUROW, Scott A.	42,373	LINEK, Ernest V.	29,822	SCHAD, Steve P.	32,550
CALLAHAN, James V.	20,095	MAGOON, Sumeet	43,769	SHIFLEY, Charles W.	28,042
CHANG, Steve S.	42,402	MALONE, Dale A.	32,155	SKERPON, Joseph M.	29,864
COHAN, Gregory J.	40,959	MANNAVA, Ashok K.	45,301	SPAR, Elizabeth	45,123
COOPERMAN, Marc S.	34,143	McDERMOTT, Peter D.	29,411	STOCKLEY, D. J.	34,257
CURTIN, Joseph P.	34,571	McKEE, Christopher L.	32,384	VAN ES, J. Pieter	37,746
DAWSON, John R.	39,504	McKIE, Edward F.	17,335	WILLIAMS, Kathleen M.	34,380
DEMOOR, Laura J.	39,654	MEDLOCK, Nina L.	29,673	WITCOFF, Sheldon W.	17,399
EVANS, Thomas L.	35,805	MEECE, Timothy C.	38,553	WOLFF, Kevin A.	42,233
FEDOROCHKO, Gary D.	35,509	MEEKER, Frederic M.	35,282	WOLFFE, Franklin D.	19,724
FISHER, Daniel E.	34,162	MILLER, Charles L.	43,805	WOLFFE, Susan A.	33,568
FISHER, William J.	32,133	MITRIUS, Janice V.	43,808	WRIGHT, Bradley C.	38,061
GLEMBOCKI, Christopher R.	38,800	MORENO, Christopher P.	38,566	SAKO, Katie E.	32,628
HANLON, Brian E.	40,449	NELSON, Jon O.	24,566	CROUSE, Daniel D.	32,022
HEMMENDINGER, Lisa M.	42,653	NIEGOWSKI, James A.	28,331		
HILLMAN, Lisa	43,673	PATEL, Binal J.	42,065		
HONG, Patricia E.	34,373	PATHAK, Ajay S.	38,266		
HOSCHEIT, Dale H.	19,090	PAYNE, Steven S.	35,316		

All correspondence and telephone communications should be addressed to:

Pamela I. Banner
Banner & Witcoff, Ltd.
1001 G Street, N.W., 11th Floor
Washington, D.C. 20001-4597

Customer Number: 22907
Tel: (202) 508-9100
Fax: (202) 508-9299

We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Signature Neil V Black Date 6/12/00
Full Name of First Inventor BLACK Neil W.
Family Name First Given Name Second Given Name

Residence 18527 NE 102nd Court, Redmond, WA 98052 Citizenship U.S.
Post Office Address: 18527 NE 102nd Court, Redmond, WA 98052

Signature Peter Hansen Date 6/12/00
Full Name of Second Inventor HANSEN Peter
Family Name First Given Name Second Given Name

Residence 1225 147th Avenue SE, Bellevue, WA 98007 Citizenship Canadian
Post Office Address: 1225 147th Avenue SE, Bellevue, WA 98007

Signature Jon Markman Date 6/12/00
Full Name of Third Inventor MARKMAN Jon D.
Family Name First Given Name Second Given Name

Residence 3715 E Union Street, Seattle, WA 98122 Citizenship U.S.
Post Office Address: 3715 E Union Street, Seattle, WA 98122